



Dr. Regazzi is the Head of the Clinical Pharmacokinetic Laboratory, Department of Pharmacology, University Hospital S. Matteo, Pavia, Italy. He has gained over 30 years' experience in applied pharmacokinetics and therapeutic monitoring of high-risk drugs.

He graduated from Pavia University in 1973 and continued his education in pharmacology/pharmacokinetics as a Research fellow at Sint-Radboud, Catholic University of Nijmegen (NL) and University of California, S. Francisco (USA), among others.

He received the Rorer Award for Clinical Pharmacology in 1983.

He was one of the founders of the Italian Society of Pharmacokinetics and Biopharmaceutics (SIFEB) in 1987 and has been a member of its Board ever since.

He is a Professor of Pharmacokinetics at the School of Pharmacy of Pavia University.

His current interests include pharmacokinetic studies on antiretroviral, immunosuppressive and analgesic agents, as well as the development of methods for the assay of monoclonal antibodies in biological fluids.

He is the Author of more than 250 scientific articles, published on peer reviewed Italian and international Journals. He has been a chairman and a speaker at several national and international congresses.

Rapid HIV-RNA decline following addition of raltegravir and tenofovir to ongoing highly active antiretroviral therapy in a woman presenting with high-level HIV viraemia at week 38 of pregnancy.

Pinnetti C, Baroncelli S, Villani P, Fantoni M, Tozzi V, De Luca A, Cauda R, Anzidei G, Cusato M, Regazzi M, Florida M, Tamburrini E. *J Antimicrob Chemother.* 2010 Sep;65(9):2050-2. Epub 2010 Jul 14. No abstract available. PMID: 20630894 [PubMed - in process] Related citations

Steady-state pharmacokinetics and bronchoalveolar lavage concentration of colistin in critically ill patients after intravenous colistin methanesulphonate administration.

Imberti R, Cusato M, Villani P, Carnevale L, Iotti GA, Langer M, Regazzi M. *Chest.* 2010 Jun 17. [Epub ahead of print] PMID: 20558557 [PubMed - as supplied by publisher] Related citations

Italian consensus statement on paediatric HIV infection.

Giaquinto C, Penazzato M, Rosso R, Bernardi S, Rampon O, Nasta P, Ammassari A, Antinori A, Badolato R, Castelli Gattinara G, d'Arminio Monforte A, De Martino M, De Rossi A, Di Gregorio P, Esposito S, Fatuzzo F, Fiore S, Franco A, Gabiano C, Galli L, Genovese O, Giacomet V, Giannattasio A, Gotta C, Guarino A, Martino A, Mazzotta F, Principi N, Regazzi MB, Rossi P, Russo R, Saitta M, Salvini F, Trotta S, Viganò A, Zuccotti G, Carosi G; Italian Paediatric HIV Infection Working Group. *Infection.* 2010 Aug;38(4):301-19. Epub 2010 Jun 1. PMID: 20514509 [PubMed - in process] Related citations

Plasma concentrations of levobupivacaine increase under continuous infusion after a major surgery.

Allegrì M, Niebel T, Baldi C, Bettinelli S, Cusato M, Braschi A, Regazzi M. *Acta Anaesthesiol Scand.* 2010 May;54(5):654-5. No abstract available. PMID: 20415948 [PubMed - indexed for MEDLINE] Related citations

How and Why to Screen for CYP2D6 Interindividual Variability in Patients Under Pharmacological Treatments.

De Gregori M, Allegrì M, De Gregori S, Garbin G, Tinelli C, Regazzi M, Govoni S, Ranzani GN. *Curr Drug Metab.* 2010 Mar 1;11(3):276-82. PMID: 20408805 [PubMed - in process] Related citations

Raltegravir plasma concentrations in treatment-experienced patients receiving salvage regimens based on raltegravir with and without maraviroc coadministration.

Two-year follow-up of the pharmacokinetics of immunosuppressive drugs in a neonate who underwent heart transplantation.

Regazzi M, Perotti G, Pellegrini C, Molinaro MD, Tzialla C, Cabano R, D'Armini AM, Stronati M, Viganò M. *J Matern Fetal Neonatal Med.* 2009;22 Suppl 3:108-10. PMID: 19925370 [PubMed - indexed for MEDLINE] Related citations

Drug transporters and renal drug disposition in the newborn.

De Gregori S, De Gregori M, Ranzani GN, Borghesi A, Regazzi M, Stronati M. *J Matern Fetal Neonatal Med.* 2009;22 Suppl 3:31-7. Review. PMID: 19925361 [PubMed - indexed for MEDLINE] Related citations

Plasma lipid profile in pregnant women with HIV receiving nevirapine.

Florida M, Tamburrini E, Anzidei G, Tibaldi C, Guaraldi G, Guerra B, Meloni AM, Vimercati A, Molinari A, Pinnetti C, Dalzero S, Ravizza M; Italian Group on Surveillance on Antiretroviral Treatment in Pregnancy. *AIDS Patient Care STDS.* 2009 Mar;23(3):147-52. PMID: 19866532 [PubMed - indexed for MEDLINE] Related citations

Regulation of insulin secretion by phosphatidylinositol-4,5-bisphosphate.

Tomas A, Yermen B, Regazzi R, Pessin JE, Halban PA. *Traffic.* 2010 Jan;11(1):123-37. Epub . PMID: 19845918 [PubMed - indexed for MEDLINE] Related citations

Oral valganciclovir treatment in newborns with symptomatic congenital cytomegalovirus infection.

Lombardi G, Garofoli F, Villani P, Tizzoni M, Angelini M, Cusato M, Bollani L, De Silvestri A, Regazzi M, Stronati M.

Eur J Clin Microbiol Infect Dis. 2009 Dec;28(12):1465-70. Epub 2009 Sep 11. PMID: 19763643 [PubMed - indexed for MEDLINE]Related citations

Reversible reduction of nevirapine plasma concentrations during rifampicin treatment in patients coinfecting with HIV-1 and tuberculosis.

Matteelli A, Saleri N, Villani P, Bonkougou V, Carvalho AC, Kouanda S, Sanou MJ, Simporé J, Monno L, Carosi G, Regazzi M, Dembele M.

J Acquir Immune Defic Syndr. 2009 Sep 1;52(1):64-9. PMID: 19731452 [PubMed - indexed for MEDLINE]Related citations

Antiretroviral treatment in pregnancy: a six-year perspective on recent trends in prescription patterns, viral load suppression, and pregnancy outcomes.

Baroncelli S, Tamburrini E, Ravizza M, Dalzero S, Tibaldi C, Ferrazzi E, Anzidei G, Ficon M, Alberico S, Martinelli P, Placido G, Guaraldi G, Pinnetti C, Floridia M; Italian Group on Surveillance on Antiretroviral Treatment in Pregnancy.

AIDS Patient Care STDS. 2009 Jul;23(7):513-20. PMID: 19530956 [PubMed - indexed for MEDLINE]Related citations

An accidental intravenous infusion of ropivacaine without any adverse effects.

Allegri M, Baldi C, Pitino E, Cusato M, Regazzi M, Braschi A.

J Clin Anesth. 2009 Jun;21(4):312-3. Epub 2009 Jun 6. No abstract available. PMID: 19502041 [PubMed - indexed for MEDLINE]Related citations

Rationale and design of a trial evaluating the effects of losartan vs. nebivolol vs. the association of both on the progression of aortic root dilation in Marfan syndrome with FBN1 gene mutations.

Gambarin FI, Favalli V, Serio A, Regazzi M, Pasotti M, Klersy C, Dore R, Mannarino S, Viganò M, Odero A, Amato S, Tavazzi L, Arbustini E.

J Cardiovasc Med (Hagerstown). 2009 Apr;10(4):354-62. PMID: 19430350 [PubMed - indexed for MEDLINE]Related citations

Long-term efficacy and safety of TDM-assisted combination of voriconazole plus efavirenz in an AIDS patient with cryptococcosis and liver cirrhosis.

Carbonara S, Regazzi M, Ciraci E, Villani P, Stano F, Cusato M, Heichen M, Monno L.

Ann Pharmacother. 2009 May;43(5):978-84. Epub 2009 Apr 21. PMID: 19383934 [PubMed - indexed for MEDLINE] Flip-flop kinetics of ropivacaine during continuous epidural infusion influences its accumulation rate.

Cusato M, Allegri M, Niebel T, Ingelmo P, Broglia M, Braschi A, Regazzi M. Eur J Clin Pharm 2010, in press

Baroncelli S, Villani P, Weimer LE, Ladisa N, Francisci D, Tommasi C, Vullo V, Preziosi R, Cicalini S, Cusato M, Galluzzo C, Floridia M, Regazzi M; ISS-NIA Group.

Ann Pharmacother. 2010 May;44(5):838-43. Epub 2010 Apr 6. PMID: 20371753 [PubMed - indexed for MEDLINE]Related citations

Declining HCV seroprevalence in pregnant women with HIV.

Floridia M, Tamburrini E, Anzidei G, Tibaldi C, Muggiasca ML, Guaraldi G, Ficon M, Vimercati A, Martinelli P, Donisi A, Dalzero S, Ravizza M; Italian Group on Surveillance on Antiretroviral Treatment in Pregnancy.

Epidemiol Infect. 2010 Sep;138(9):1317-21. Epub 2010 Jan 25. PMID: 20096149 [PubMed - indexed for MEDLINE]Related citations

Inosine monophosphate dehydrogenase variability in renal transplant patients on long-term mycophenolate mofetil therapy.

Chiarelli LR, Molinaro M, Libetta C, Tinelli C, Cosmai L, Valentini G, Dal Canton A, Regazzi M. Br J Clin Pharmacol. 2010 Jan;69(1):38-50. PMID: 20078611 [PubMed - indexed for MEDLINE]Related citations

Pharmacokinetics of anorectal nifedipine and lidocaine (lignocaine) ointment following haemorrhoidectomy: an open-label, single-dose, phase IV clinical study.

Perrotti P, Dominici P, Grossi E, Antropoli C, Giannotti G, Cusato M, Regazzi M, Cerutti R.

Clin Drug Investig. 2009;29(4):243-56. doi: 10.2165/00044011-200929040-00003.PMID: 19301938 [PubMed - indexed for MEDLINE]Related citations
Two-year follow-up of the pharmacokinetics of immunosuppressive drugs in a neonate who underwent heart transplantation.
Regazzi M, Perotti G, Pellegrini C, Molinaro MD, Tzialla C, Cabano R, D'Armini AM, Stronati M, Viganò M.

J Matern Fetal Neonatal Med. 2009;22 Suppl 3:108-10.PMID: 19925370 [PubMed - indexed for MEDLINE]Related Factors influencing gestational age-adjusted birthweight in a national series of 600 newborns from mothers with HIV.
Florida M, Ravizza M, Bucceri A, Lazier L, Viganò A, Alberico S, Guaraldi G, Anzidei G, Guerra B, Citerinesi A, Sansone M, Baroncelli S, Tamburrini E; Italian Group on Surveillance on Antiretroviral Treatment in Pregnancy.

HIV Clin Trials. 2008 Sep-Oct;9(5):287-97.PMID: 18977717 [PubMed - indexed for MEDLINE]Free ArticleRelated citations
Trough concentrations of lopinavir, nelfinavir, and nevirapine with standard dosing in human immunodeficiency virus-infected pregnant women receiving 3-drug combination regimens.
Baroncelli S, Villani P, Florida M, Pirillo MF, Galluzzo CM, Cusato M, Amici R, Pinnetti C, Sabbatini F, Molinari A, Tamburrini E, Regazzi M.

Ther Drug Monit. 2008 Oct;30(5):604-10.PMID: 18728627 [PubMed - in process]Related citations
Lopinavir/ritonavir pharmacokinetics in HIV/HCV-coinfected patients with or without cirrhosis.
Micheli V, Regazzi M, Dickinson L, Meraviglia P, Villani P, Khoo SH, Viganò P, Cordier L, Cusato M, Duca P, Orlando G, Rizzardini G, Back DJ, Cargnel A.

Ther Drug Monit. 2008 Jun;30(3):306-13.PMID: 18520602 [PubMed - indexed for MEDLINE]Related citations
Plasma drug concentrations and virologic evaluations after stopping treatment with nonnucleoside reverse-transcriptase inhibitors in HIV type 1-infected children.
Cressey TR, Green H, Khoo S, Treluyer JM, Compagnucci A, Saidi Y, Lallemand M, Gibb DM, Burger DM; Paediatric European Network for Treatment of AIDS II Study Group.

Clin Infect Dis. 2008 May 15;46(10):1601-8.PMID: 18419497 [PubMed - indexed for MEDLINE]Related citations
Lower dose rituximab is active in adults patients with idiopathic thrombocytopenic purpura.
Zaja F, Battista ML, Pirrotta MT, Palmieri S, Montagna M, Vianelli N, Marin L, Cavallin M, Bocchia M, Defina M, Ippoliti M, Ferrara F, Patriarca F, Avanzini MA, Regazzi M, Baccarani M, Isola M, Soldano F, Fanin R.

Haematologica. 2008 Jun;93(6):930-3. Epub 2008 Apr 9.PMID: 18403395 [PubMed - indexed for MEDLINE]Free ArticleRelated citations
Atazanavir and lopinavir with ritonavir alone or in combination: analysis of pharmacokinetic interaction and predictors of drug exposure.
Di Giambenedetto S, De Luca A, Villani P, Bacarelli A, Ragazzoni E, Regazzi M, Cauda R, Navarra P.

HIV Med. 2008 Apr;9(4):239-45.PMID: 18366448 [PubMed - indexed for MEDLINE]Related citations